

# Material Safety Data Sheet

Infosafe No. ACP93 Issue Date: February 2002 ISSUED by LOCTITE  
Product Name: TEROSTAT- 9320 SPRAYABLE SEALANT

**Not classified as hazardous according to criteria of NOHSC**

---

## COMPANY DETAILS

---

### Company Name

HENKEL AUSTRALIA PTY LTD (ABN 82 001 302 996)

### Address

1 Clyde Street Silverwater  
NSW 2128 Australia

### Emergency Tel.

See CONTACT POINT

### Tel/Fax

Tel: 1300 885 556 Fax: (02) 9525 5643

### Other Information

IMPORTANT NOTICE: This Material Safety Data Sheet (MSDS) is issued by Henkel Australia Pty Ltd in accordance with National Occupational Health and Safety Commission (NOHSC) guidelines. The information contained herein must not be altered, deleted or added to. Henkel Australia will issue new MSDSs when there is a change in product specifications and/or NOHSC guidelines/regulations. Henkel Australia has no objection to its MSDS being copied if: (a) the copy is made for safety related purposes; and (b) no alterations or amendments are made to the text or format of the MSDS. Henkel Australia does not guarantee the accuracy of any MSDS for our products which: (a) is not prepared by Henkel Australia; (b) is not authorised by Henkel Australia; (c) is not in the format originally supplied by Henkel Australia; or (d) has otherwise been amended or altered by a third party. Copyright [c] Henkel Australia Pty Ltd.

---

## IDENTIFICATION

---

### Product Code

13915A - Grey

### Product Name

TEROSTAT- 9320 SPRAYABLE SEALANT

### Proper Shipping Name

None Allocated

Product Name : TEROSTAT- 9320 SPRAYABLE SEALANT

<b>Other Names</b>	<b><u>Name</u></b>	<b><u>Mancode</u></b>
	TEROSTAT- 9320 SPRAYABLE SEALANT	13916B – Black
	TEROSTAT- 9320 SPRAYABLE SEALANT	13917C – Beige

**UN Number**

None Allocated

**DG Class**

None Allocated

**Packing Group**

None Allocated

**Hazchem Code**

None Allocated

**Poisons Schedule**

Not Scheduled

**Product Use**

Bonding and Sealing Vehicle Body.

---

**Physical Data**

---

**Appearance**

Paste with a characteristic odour.

**Melting Point**

Not available

**Boiling Point**

Not available

**Vapour Pressure**

Not available

**Specific Gravity**

1.390 (water=1)

**Flash Point**

&gt;36°C

**Flamm. Limit LEL**

Not available

**Flamm. Limit UEL**

Not available

**Solubility in Water**

Insoluble

---

**Other Properties**

Product Name : TEROSTAT- 9320 SPRAYABLE SEALANT

---

**Solubility in  
Organic Solvents**

Soluble in aromatic solvents

**Stability**

Stable under normal conditions.

**Haz.****Polymerization**

Will not occur.

**Materials to Avoid**

Strong oxidising agents.

---

**Ingredients**

---

<b>Ingredients</b>	<b><u>Name</u></b>	<b><u>CAS</u></b>	<b><u>Proportion</u></b>
	White Spirit	64742-88-7	1-10 %
	Silane		1-10 %
	Ingredients determined not to be hazardous	Not required	Balance

---

**HEALTH HAZARD INFORMATION**

---

**Health Effects**

---

**Acute – Swallowed**

Ingestion of large quantities may be harmful. Ingestion may cause gastrointestinal irritation and burns to mouth and throat, resulting in pain, nausea and vomiting.

**Acute – Eye**

May cause irritation in contact with the eyes, which can result in redness, stinging and lachrymation.

**Acute – Skin**

May cause irritation in contact with the skin, which can result in redness, itching and possible contact dermatitis.

**Acute – Inhaled**

At elevated temperatures, may generate vapours or aerosols sufficient to cause irritation, or other adverse effects. May cause irritation to the respiratory tract and lungs.

**Chronic**

Repeated or prolonged skin contact may result in irritation, leading to contact dermatitis.

---

**First Aid**

---

**Swallowed**

DO NOT induce vomiting. Immediately wash out mouth with water and then give plenty of water to drink. Seek medical attention.

**Eye**

If contact with the eye(s) occur, wash with copious amounts of water for approximately 15 minutes holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Skin**

Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops and persists seek medical attention.

**Inhaled**

Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have a qualified person give oxygen through a face mask if breathing is difficult. If symptoms develop seek immediate medical attention.

**First Aid****Facilities**

Eye wash and normal washroom facilities.

---

**Advice to Doctor**

---

**Advice to Doctor**

Treat symptomatically.

---

**Other Health Hazard Information**

---

**PRECAUTIONS FOR USE**

---

Exposure Limits	Name	mg/m <sup>3</sup> (STEL)	ppm (STEL)	mg/m <sup>3</sup> (TWA)	ppm (TWA)	TWA Footnote
	White Spirit	10		5		(As oil mist) (As oil mist)

**Eng. Controls**

Natural ventilation should be sufficient, however where vapours or fumes are generated the use of a local exhaust ventilation system (drawing vapours/fumes away from workers breathing zone) is recommended.

---

**Personal Protection**

Product Name : TEROSTAT- 9320 SPRAYABLE SEALANT

---

**Respirator Type  
(AS 1716)**

Where ventilation is inadequate and vapours or fumes are generated the use of an Air Purifying Respirator with an Organic Vapour filter complying with AS/NZS 1715 and AS/NZS 1716 is recommended.

**Eye Protection**

Where splashing is likely the use of chemical goggles or safety glasses with side shield protection complying with AS/NZS 1337 is recommended.

**Glove Type**

The use of PVC gloves complying with AS 2161 is recommended during prolonged handling.

**Clothing**

The use of plastic apron, sleeves, overalls, and rubber boots are recommended.

---

**Flammability**

---

**Fire Hazards**

Flammable material. Will burn in a general fire, releasing toxic gases.

---

**SAFE HANDLING INFORMATION**

---

**Storage and Transport**

---

**Storage****Precautions**

Store in a cool dry place, out of direct sunlight. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents. Store at 15 to 25°C is recommended.

**Transport**

Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (6th Edition).

**Handling**

Ensure a high level of personal hygiene is maintained when using this product. That is, always wash hands before eating, drinking, smoking or using the toilet.

**Proper Shipping****Name**

None Allocated

---

**Spills and Disposal**

---

**Spills & Leaks**

Remove all sources of ignition. Increase ventilation. Evacuate all unnecessary personnel. Wear sufficient respiratory protection and full protective clothing to minimise skin and eye exposure. If possible contain the spill. Place inert absorbent such as vermiculite, sand or dirt onto material. Use clean non-sparking tools to collect the material and place into a suitable labelled container. Do not dilute material but contain. Mop up the remaining material and place into the same container. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

**Disposal**

In accordance with Local, State and Federal EPA waste regulations.

---

**Fire/Explosion Hazard**

---

**Fire/Explos.****Hazard**

Not a particularly dangerous fire hazard, except that toxic gases are produced on burning.

**Hazardous****Decomposition or****Byproducts**

Oxides of carbon (CO, CO<sub>2</sub>).

**Fire Fighting****Procedures**

Wear Self-Contained Breathing Apparatus (S.C.B.A) and full protective clothing to minimise skin exposure.

**Extinguishing****Media**

Water fog, carbon dioxide, foam or dry chemical powder.

**Hazchem Code**

None Allocated

---

**OTHER INFORMATION**

---

**Toxicology**

No toxicity data is available for this material.

**Information on****Ecological Effects**

No ecological data is available for this material.

**Environ.****Protection**

Avoid contaminating waterways.

---

**CONTACT POINT**

Product Name : TEROSTAT- 9320 SPRAYABLE SEALANT

**Contact**

Technical Services Manager: Gerard Buys 1300 885 556 / 0411 669 002

**...End Of MSDS...**